

Prestige lifts for every need

VERTICAL

product by Maspero



KOALA ROPED MACHINE ROOM-LESS LIFT

Rated load 570 kg
n° 2 adjacent stops
Rated speed 1,0 m/s
Single automatic push button with remote control



FASHION DISTRICT - MILAN

Roped lift with lower machine room
Rated load 320 kg
n° 5 stops in line
Rated speed 1,0 m/s
Simplex collective operation



N° 2 DUPLEX ROPED ELEVATORS

Rated load 850 kg
n° 9 opposite stops
Rated speed 1,6 m/s VVVF
Duplex collective operation



HYDRAULIC LIFT

Rated load 400 kg
n° 3 stops in line
Rated speed 0,6 m/s
Single automatic push button



Autorized Maspero's distributor in Africa - Asia - East Europe - Oceania - South America

Prestige lifts for every need

VERTICAL

product by Maspero



N° 3 TRIPLEX ROPED ELEVATORS

Rated load 850 kg
n° 7 stops in line
Rated speed 1,6 m/s VVVF
Triplex collective operation



N° 2 DUPLEX HYDRAULIC ELEVATORS

Rated load 400 kg
n° 4 stops in line
Rated speed 0,8 m/s
Duplex collective operation



FASHION DISTRICT - MILAN

n° 2 Hydraulic lifts with central ram
Rated load 840 kg
n° 4 stops in line
Rated speed 0,6 m/s
Simplex collective operation



N° 2 DUPLEX HYDRAULIC LIFT

Rated load 860 kg
n° 4 stops in line
Rated speed 1,0 m/s
Duplex collective operation



ENGINEERINGlift®
EUROPE LIFT COMPONENTS

sales@engineeringlift.com
www.engineeringlift.com

Prestige lifts for every need

VERTICAL

product by Maspero



N° 2 DUPLEX HYDRAULIC LIFT

Rated load 630 kg
n° 7 stops in line
Rated speed 1,2 m/s
Duplex collective operation



N° 2 DUPLEX ROPED LIFT

Rated load 630 kg
n° 7 stops in line
Rated speed 1,5 m/s
Simplex collective operation



ROPED LIFT IN STAIRWAY

Rated load 300 kg
n° 7 stops in line
Rated speed 1,0 m/s
Single automatic push button



HYDRAULIC CAR LIFTS

Rated load 2500 kg
n° 3 opposite stops
Rated speed 0,3 m/s
Single automatic push button



ENGINEERINGlift®
EUROPE LIFT COMPONENTS

sales@engineeringlift.com
www.engineeringlift.com

Prestige lifts for every need

VERTICAL

product by Maspero



HYDRAULIC LIFT WITH MACHINE ROOM

Rated load 1750 kg
n° 2 stops in line
Rated speed 0,6 m/s
Single automatic push button



N° 2 ROPED BED LIFTS

Rated load 1300 kg
n° 8 opposite stops
Rated speed 1,2 m/s
Duplex collective operation with firefighters mode



N° 2 ESCALATORS IN COMMERCIAL SERVICE

Step width 800 mm
Rated speed 0,5 m/s
Rated flow 6750 p/h



N° 2 ESCALATORS IN PUBLIC SERVICE - GENOA PORT

Travel 16 m 800 mm
Step width 900 mm
Angle 30°



ENGINEERINGlift®
EUROPE LIFT COMPONENTS

sales@engineeringlift.com
www.engineeringlift.com

Prestige lifts for every need

VERTICAL

product by Maspero



ELECTRIC LIFT

Collective selective up and down operation

Rated load 1000 kg

Speed 1 m/s

n° 7 entrance



Car finished in glass and brass




ENGINEERINGlift®
EUROPE LIFT COMPONENTS

sales@engineeringlift.com
www.engineeringlift.com

FEATURES



ELECTRIC LIFTS ACCORDING TO EN81-1




Related Load		kg	350	450	600	850	1350	1600
Passengers	n°		4	6	8	11	18	21
Car	Width	A (mm)	800	950	1100	1370	1370	1500
	Depth	B (mm)	1200	1300	1400	1500	2200	2200
Shaft	Width	C (mm)	1500	1650	1850	1950	2150	2300
	Depth	D (mm)	1600	1700	1750	2200	2650	2650
Doors		E (mm)	750	800	800	900	1000	1000
	Depth	F (mm)						
Pit	Speed ≤ 0,63 m/s		1500	1500	1500	1500	1600	1600
	Speed ≤ 1,00 m/s		1500	1500	1500	1500	1600	1600
	Speed ≤ 1,50 m/s		1600	1600	1600	1600	1700	1700
Headroom	Speed ≤ 0,63 m/s	T	3700	3700	3700	3700	3900	3900
	Speed ≤ 1,00 m/s	T	3800	3800	3800	3800	4000	4000
	Speed ≤ 1,50 m/s	T	4000	4000	4000	4000	4200	4200
Machine room	Width	G (mm)	2500	2700	3000	3200	3500	3500
	Depth	H (mm)	2500	2700	3000	3200	4000	4000
	Height	(mm)	2100	2100	2100	2100	2100	2100

INTERNAL CAR HEIGHT 2200 mm - DOORS HEIGHT 2000 mm

Models with other rated load are available

FEATURES




Related Load		kg	350	450	600	850	1350	1600
Passengers		n°	4	6	8	11	18	21
Car	Width	A (mm)	800	950	1100	1370	1370	1500
	Depth	B (mm)	1200	1300	1400	1500	2200	2200
Shaft	Width	C (mm)	1400	1500	1700	2000	2150	2300
	Depth	D (mm)	1600	1700	1800	1900	2650	2650
Doors		E (mm)	750	800	800	900	1000	1000
	Depth	F (mm)						
Pit	Speed ≤ 0,63 m/s		1500	1500	1500	1500	1600	1600
	Speed ≤ 1,00 m/s		1650	1650	1650	1650	1750	1750
Headroom	Speed ≤ 0,63 m/s	T	3500	3500	3500	3500	3500	3500
	Speed ≤ 1,00 m/s	T	3600	3600	3600	3600	3600	3600
Machine room	Width	G (mm)	2000	2000	2000	2000	2000	2000
	Depth	H (mm)	1800	1800	1800	1800	1800	1800
	Height	(mm)	2100	2100	2100	2100	2100	2100

INTERNAL CAR HEIGHT 2200 mm - DOORS HEIGHT 2000 mm - MACHINE ROOM DISTANCE 10 mt max

Models with other rated load are available

FEATURES

KOALA 3-A



LOAD	passengers	CAR	DOOR	SHAFT SHAFT			
<i>kg</i>	<i>n°</i>	<i>C x D mm</i>	<i>mm</i>	<i>A x B mm</i>			
375	5	800 x 1200	750	1450 x 1550/1720*			
480	6	950 x 1300	800/850	1600 x 1650/1820*			
630	8	1100 x 1400	800/900	1750 x 1750/1920*			
900	12	1370 x 1500	900/1000	2050 x 1850/2030*			


* SHAFT DEPHT WITH OPPOSITE STOPS

INTERNAL CAR HEIGHT 2200 mm - AVAILABLE WITH DOORS ON THREE SIDES - SPEED UP TO 1 m/s

Models with other rated load are available

FEATURES

KOALA 3-B



LOAD	passengers	CAR	DOOR	SHAFT SHAFT			
<i>kg</i>	<i>n°</i>	<i>C x D mm</i>	<i>mm</i>	<i>A x B mm</i>			
480	6	950 x 1300	800/850	1650 x 1650/1850*			
630	8	1100 x 1400	800/900	1800 x 1750/1950*			
900	12	1400 x 1500	900/1000	2100 x 1850/2050*			
1000	13	1100 x 2100	900/1000	1850 x 2450/2650*			
1200	16	1250 x 2200	1000/1100	2000 x 2550/2750*			
1600	21	1400 x 2400	1100/1300	2300 x 2750/2950*			

* SHAFT DEPHT WITH OPPOSITE STOPS

INTERNAL CAR HEIGHT 2200 mm - AVAILABLE HIGHER RATED LOADS AND SPEED: PLEASE CONTACT OUR SALES AGENTS

Models with other rated load are available

Company name: _____
Address: _____
Person referent: _____
e-mail: _____

Date: _____
Quantity: _____

ELEVATOR

TECNICALS DETAILS

SYSTEM	
MACHINE ROOM	
TYPE	
POWER	
LOAD (Kg)	
PERSONS	
SPEED (m/s)	
TRAVEL (m)	
ANGLE (α)	
HEADROOM (mm)	
PIT MINIMUM (mm)	
STOP / DOORS / ENTRANCE	
KIND OF CABIN DOOR	
KIND OF LANDING DOOR	
OPENING DOOR (mm)	
DIMENSION INSIDE LIFT SHAFT (mm)	
DIMENSION INSIDE CABIN (mm)	
SHAFT	
CONTROL	
CONTROL BOARD	
FINISHING INSIDE CABIN	
FINISHING CABIN DOOR	
FINISHING FLOOR	
CIELING	
FINISHING LANDING DOORS	
SHAFT DOORS FINISHING	
BUTTONS	
CAR PUSH BUTTON PLATES	
LANDING PUSH BUTTON	
POSITION	

MANUFACTURE

Made in: _____ Country _____ ANYWHERE
Company name: _____ Company _____ ANY COMPANY

NOTE _____

